

FIG.	PAGE
23. BATHYCRINUS ALDRICHIANUS (sp. n.). Three times the natural size. (No. 106)	86
24. HYOCRINUS BETHELLIANUS (sp. n.). About twice the natural size. (No. 106)	89
25. HYOCRINUS BETHELLIANUS. About four times the natural size. (Station 147)	90
26. DISK OF HYOCRINUS BETHELLIANUS. Eight times the natural size	91
27. THE ARRANGEMENT OF THE SOFT PARTS IN HYOCRINUS BETHELLIANUS. Eight times the natural size	92
28. BREEDING-PLACE OF THE NODDY, ST. PAUL'S ROCKS. (From a Photograph)	94
29. ST. PAUL'S ROCKS. (From a Photograph)	98
30. CERATOTROCHUS DIADEMA, Moseley. Once and a half the natural size. (No. 120)	110
31. PENTACRINUS MACLEARANUS (sp. n.). Slightly enlarged. (No. 122)	112
32. DIAGRAM OF THE VERTICAL DISTRIBUTION OF TEMPERATURE AT STATION 129.	130
33. FUNGIA SYMMETRICA, Pourtales. Three times the natural size. (No. 133)	132
34. THE SETTLEMENT OF "EDINBURGH," TRISTAN D'ACUNHA. (From a Photograph)	140
35. CYCLOPEAN ARCHITECTURE, TRISTAN ISLAND. (From a Photograph)	143
36. WATER-FALL, INACCESSIBLE ISLAND. (From a Photograph)	148
37. GROUP OF ROCK-HOPPERS, INACCESSIBLE ISLAND. (From a Photograph)	158
38. CLADODACTYLA CROCEA, Lesson. Stanley Harbor, Falkland Islands. Natural size	188
39. PSOLUS EPHIPPIFER (sp. n.). Corinthian Harbor, Heard Island. Three times the natural size	192
40. PSOLUS EPHIPPIFER. Some of the plates of the marsupium removed. Three times the natural size	193
41. GONIOCIDARIS CANALICULATA, A. Agassiz. Stanley Harbor. Twice the natural size	194
42. CIDARIS NUTRIX (sp. n.). Balfour Bay, Kerguelen Island. Natural size ..	197
43. HEMIASTER PHILIPPIL, Gray. Accessible Bay, Kerguelen Island. Twice the natural size	199
44. HEMIASTER PHILIPPIL. The apical portion of the test of the female seen from within. Slightly enlarged	200
45. HEMIASTER PHILIPPIL. The apical portion of the test of the male seen from within. Slightly enlarged	200
46. HEMIASTER PHILIPPIL. The arrangement of the eggs in one of the marsupial recesses. Five times the natural size	201
47. LEPTYCHASTER KERGUELENENSIS, E. Smith. Off Cape Maclear, Kerguelen Island. Twice the natural size	203
48. HYMENASTER NOBILIS (sp. n.). Southern Sea. Half the natural size	206
49. HYMENASTER NOBILIS. The marsupial tent with the valves closed. Twice the natural size	208
50. OPHIOCOMA ? VIVIPARA, Ljungman, sp. Twice the natural size. (No. 149)	209
51. HASTIGERINA MURRAYI (sp. n.). From the surface. Fifty times the natural size	250