

STATION 145. December 27, 1873; lat.  $46^{\circ} 43' 0''$  S., long.  $38^{\circ} 4' 30''$  E.; off Marion Island; depth, 140 fathoms; bottom, volcanic sand. Dredged.

<i>Nauticaris marionis</i> (3).		<i>Chorismus tuberculatus</i> .
		<i>Campylonotus capensis</i> (6 ♂ ♀).

STATION 145A. December 27, 1873; lat.  $46^{\circ} 41'$  S., long.  $38^{\circ} 10'$  E.; off Marion Island; depth, 310 fathoms; bottom, volcanic sand. Dredged.

*Chorismus tuberculatus* (15 ♀ ♂).

STATION 146. December 29, 1873; lat.  $46^{\circ} 46'$  S., long.  $45^{\circ} 31'$  E.; near Marion Island; depth, 1375 fathoms; bottom, Globigerina ooze; bottom temperature,  $35^{\circ}\cdot 6$ . Trawled.

<i>Petalidium foliaceum</i> (4 ♀).		<i>Caricyphus angulatus</i> (1).
<i>Glyphocrangon podager</i> (1 ♀).		<i>Nematocarcinus proximus</i> (2 ♀).

STATION 147. December 30, 1873; lat.  $46^{\circ} 16'$  S., long.  $48^{\circ} 27'$  E.; depth, 1600 fathoms; bottom, Diatom ooze; bottom temperature,  $34^{\circ}\cdot 2$ . Trawled.

*Hymenodora duplex* (1 ♀).

STATION 152. July 11, 1874; lat.  $60^{\circ} 52'$  S., long.  $80^{\circ} 20'$  E.; depth, 1260 fathoms; bottom, Diatom ooze. Trawled.

*Nematocarcinus lanceopes* (3 ♀ ♂).

STATION 156. February 26, 1874; lat.  $62^{\circ} 26'$  S., long.  $95^{\circ} 44'$  E.; depth, 1975 fathoms; bottom, Diatom ooze. Trawled.

*Hymenodora mollicutis* (1 ♂).

STATION 157. March 3, 1874; lat.  $53^{\circ} 55'$  S., long.  $108^{\circ} 35'$  E.; depth, 1950 fathoms; bottom, Diatom ooze; bottom temperature,  $32^{\circ}\cdot 1$ . Trawled.

*Hymenodora mollicutis* (2 ♂).

South of Australia; March 1874. Surface.

<i>Sergestes dorsispinalis</i> .		<i>Sergestes laterodentatus</i> .
----------------------------------	--	-----------------------------------