

*Boeckia*—continued.

<i>spinosa</i> , Grimm, 1880, . . . . .	509
Boruta—	
<i>tenebrarum</i> , Wrześniowski } . . . . .	1655
(MS.), 1888, . . . . .	
Bovallia—	
<i>gigantea</i> , Pfeffer, 1888, . . . . .	1653
Brachyscelus—	
<i>acuticaudatus</i> , Stebbing, 1888, . . . . .	1555, pl. cxvii, c
<i>antipodes</i> , Stebbing, 1888, . . . . .	1558
<i>bovallii</i> , Stebbing, 1888, . . . . .	1553, pl. cxvii, A
<i>crusculum</i> , Sp. Bate, 1861, . . . . .	{ 327, 337, 590, 1544
<i>elegans</i> , Stebbing, 1888, . . . . .	{ 1547, pls. cxcv, cxevi
<i>globiceps</i> , Stebbing, 1888, . . . . .	1558
<i>inæquipes</i> , Stebbing, 1888, . . . . .	1549
<i>latipes</i> , Stebbing, 1888, . . . . .	1549
<i>lycæoides</i> , Stebbing, 1888, . . . . .	1550, pl. cxvii, B
<i>mediterranea</i> , Stebbing, 1888, . . . . .	1556
<i>rapax</i> , Stebbing, 1888, . . . . .	1549, 1553, 1555
Brandtia—	
<i>latissima</i> , Sp. Bate, 1862, . . . . .	309, 334
Bruzelia—	
<i>serrata</i> , G. O. Sars, 1879, . . . . .	498, 539, 569
<i>tuberculata</i> , G. O. Sars, 1882, . . . . .	539
<i>typica</i> , Boeck, 1870, . . . . .	394, 569
Byblis—	
<i>abyssi</i> , G. O. Sars, 1879, . . . . .	498, 570
<i>crassicornis</i> , Metzger, 1875, . . . . .	445, 570
<i>erythrops</i> , G. O. Sars, 1882, . . . . .	540
{ <i>Gaimardi</i> , Boeck, 1870, . . . . .	{ 217, 314, 395, 432
{ <i>Gaimardii</i> , S. I. Smith, 1883, . . . . .	{ 540, 1634
<i>Guernei</i> , Chevreux, 1887, . . . . .	546, 570, 600
<i>kallarthus</i> , <sup>1</sup> Stebbing, 1886, . . . . .	1641
<i>serrata</i> , S. I. Smith, 1874, . . . . .	296, 586, 1648
<i>serrata</i> , S. I. Smith, 1874, . . . . .	437
Calamorrhynchus—	
<i>pellucidus</i> , Streets, 1878, . . . . .	485, 591, 1600
<i>rigidus</i> , Stebbing, 1888, . . . . .	1600, pl. cevi
Callimerus—	
<i>acudigitata</i> , Stebbing, 1876, . . . . .	460, 484
Calliope—	
<i>didactyla</i> , G. M. Thomson, 1879, . . . . .	499
<i>fingalli</i> , Bate and Westwood, 1862, . . . . .	341
<i>fluviatilis</i> , G. M. Thomson, 1879, . . . . .	499
<i>grandoculis</i> , Sp. Bate, 1862, . . . . .	334, 369
<i>læviuscula</i> , Sp. Bate, 1862, . . . . .	{ 179, 344, 356, 485, 486
<i>Leachii</i> , Sp. Bate, 1856-7, . . . . .	{ 534
<i>Norvegica</i> , Sp. Bate, 1862, . . . . .	292
<i>Ossiani</i> , Sp. Bate, 1862, . . . . .	204
<i>subterranea</i> , Chilton, 1882, . . . . .	334, 341
<i>subterranea</i> , Chilton, 1882, . . . . .	532
Calliopius (see <i>Calliope</i> )—	
<i>bidentatus</i> , Norman, 1874, . . . . .	430, 1656
<i>didactylus</i> , Thomson and Chil- } . . . . .	499
<i>ton</i> , 1886, . . . . .	
<i>fluviatilis</i> , Thomson and Chilton, } . . . . .	499
1886, . . . . .	
<i>georgianus</i> , Pfeffer, 1888, . . . . .	1653

*Calliopius*—continued.

	179, 209, 219, 292, 314
<i>læviusculus</i> , Boeck, 1870, . . . . .	{ 319, 334, 356, 395, 436
	{ 437, 465, 496, 548, 1634
	{ 1636, 1645
<i>norvegicus</i> , Boeck, 1870, . . . . .	{ 204, 314, 395, 465, 486
	{ 543
<i>subterraneus</i> , Thomson and Chil- } . . . . .	532
<i>ton</i> , 1886, . . . . .	
Callisoma—	
<i>Barthelemyi</i> , Costa, 1853, . . . . .	273, 296, 561
<i>Branickii</i> , Wrześniowski, 1874, . . . . .	440, 472, 502, 503
<i>crenata</i> , Sp. Bate, 1862, . . . . .	292, 440, 502
<i>Hopei</i> , Costa, 1851, . . . . .	{ 183, 248, 249, 273, 296
	{ 440, 502
<i>Kröyeri</i> , Sp. Bate, 1862, . . . . .	313, 362, 446, 502
{ <i>punctata</i> , O. and A. Costa, 1840, . . . . .	183, 249
{ <i>punctatum</i> , Costa, 1851, . . . . .	183, 249, 296
Camacho—	
<i>bathyplois</i> , Stebbing, 1888, . . . . .	1179, pl. cxxvii
Cancer—	
<i>Algensis</i> , Chiereghini, 1818, . . . . .	105, 220, 390
<i>Ampulla</i> , Phipps, 1774, . . . . .	{ 36, 69, 112, 143, 180
	{ 186, 214, 443, 729
	{ 1620
<i>articulosus</i> , Montagu, 1804, . . . . .	75, 176
<i>atomos</i> , Linnæus, 1767, . . . . .	29, 32, 54, 70, 101
<i>baikalensis</i> , Laxman, MS., 1772, . . . . .	33
<i>Cancellus</i> , Turton, 1802, . . . . .	69
<i>Carino-spinosus</i> , Turton, 1802, . . . . .	69, 71, 222, 305
<i>Corniger</i> , Turton, 1802, . . . . .	70
<i>crassicornis</i> , Parkinson, MS., } . . . . .	1271, 1617
1768, . . . . .	
<i>filiformis</i> , Linnæus, 1767, . . . . .	30, 32, 52, 54, 70, 95
<i>gammarellus</i> , Herbst, 1796, . . . . .	61
<i>Gibbosus</i> , Turton, 1802, . . . . .	70
<i>grossipes</i> , Linnæus, 1767, . . . . .	29, 31, 54, 69, 101, 396
<i>homari</i> , Gmelin, 1788, . . . . .	54
<i>linearis</i> , Linnæus, 1767, . . . . .	29, 32, 42, 53, 54, 58, 70
<i>lobatus</i> , Stewart, 1817, . . . . .	101
<i>locusta</i> , Linnæus, 1761, . . . . .	{ 20, 29, 32, 58, 69
	{ 101, 486
? <i>Locusta</i> , Scopoli, 1763, . . . . .	24
<i>locusta</i> , Olivi, 1792, . . . . .	58
<i>Medusarum</i> , O. F. Müller, 1776, } . . . . .	42, 52, 54, 115, 179
	{ 358
<i>nugax</i> , Phipps, 1774, . . . . .	{ 37, 69, 112, 177, 178
	{ 180, 186, 214, 355, 443
	{ 1618, 1620, 1628
<i>palmatum</i> , Montagu, 1804, . . . . .	75, 82, 84
<i>Phasma</i> , Montagu, 1804, . . . . .	74, 91, 106, 195, 397
<i>pulex</i> , Linnæus, 1761, . . . . .	{ 20, 25, 29, 32, 36, 37
	{ 51, 52, 54, 57, 65, 69
	{ 101, 112, 121, 486
<i>Pulex</i> , Pollini, 1816, . . . . .	93
<i>Salcetus</i> , Chiereghini, 1818, . . . . .	105, 220, 389
<i>sedentarius</i> , Forskål, 1775, . . . . .	38, 43
Cancer ( <i>Gammarellus</i> )—	
<i>abyssinus</i> , Herbst, 1796, . . . . .	61

<sup>1</sup> On p. 290, line 46, for *ka arthros* read *kallarthus*.