

STATION 195.—October 3, 1874; lat. $4^{\circ} 21' S.$, long. $129^{\circ} 7' E.$, off Banda Islands; depth, 1425 fathoms; bottom, blue mud.

Schizopathes affinis, n. sp. | *Bathypathes patula*, n. sp. (young).

STATION 218.—March 1, 1875; lat. $2^{\circ} 33' S.$, long. $144^{\circ} 4' E.$, west of Admiralty Islands; depth, 1070 fathoms; bottom, blue mud.

Schizopathes affinis, n. sp. | *Bathypathes patula*, var. *plenispina*, n. sp.

STATION 244.—June 28, 1875; lat. $35^{\circ} 22' N.$, long. $169^{\circ} 53' E.$, east of Japan; depth, 2900 fathoms; bottom, red clay.

Bathypathes patula, n. sp.

STATION 246.—July 2, 1875; lat. $36^{\circ} 10' N.$, long. $178^{\circ} 0' E.$, east of Japan; depth, 2050 fathoms; bottom, Globigerina ooze.

Bathypathes patula, n. sp. | *Bathypathes alternata*, n. sp.
Bathypathes lyra, n. sp.

STATION 308.—January 5, 1876; lat. $50^{\circ} 8' 30'' S.$, long. $74^{\circ} 41' 0'' W.$, off Tom Bay, Strait of Magellan; depth, 175 fathoms; bottom, blue mud.

Antipathella assimilis, n. sp. | *Antipathella speciosa*, n. sp.
,, *minor*, n. sp. | ,, *contorta*, n. sp.

STATION 310.—January 10, 1876; lat. $51^{\circ} 27' 30'' S.$, long. $74^{\circ} 3' 0'' W.$, Sarmiento Channel; depth, 400 fathoms; bottom, blue mud.

Tylopathes crispa, n. sp.

STATION 323.—February 28, 1876; lat. $35^{\circ} 39' S.$, long. $50^{\circ} 47' W.$, off Monte Video; depth, 1900 fathoms; bottom, blue mud.

Schizopathes crassa, n. sp.

STATION 343.—March 27, 1876; lat. $8^{\circ} 3' S.$, long. $14^{\circ} 27' W.$, off Ascension; depth, 425 fathoms; bottom, volcanic sand.

Dendrobrachia fallax, n. sp.

STATION 344.—April 3, 1876; lat. $7^{\circ} 54' 20'' S.$, long. $14^{\circ} 28' 20'' W.$, off Ascension; depth, 420 fathoms; bottom, volcanic sand.

Taxipathes recta, n. sp.