

STATION 142.—Off Cape of Good Hope. 150 fathoms. Sand. December 18, 1873.

Cythere melobesioides, G. S. Brady.
Cythere lepralioides, n. sp.
cytheropteroides, n. sp.
Polycope orbicularis, G. O. Sars.

Off Prince Edward's Island. 50 to 150 fathoms. December 26, 1874.

Bythocypris reniformis, n. gen. and sp.
Macrocypris maculata, G. S. Brady.
Bairdia villosa, n. sp.
Cythere kerguelenensis, n. sp.
securifer, n. sp.
subrufa, n. sp.
suhmi, n. sp.
parallelogramma, n. sp.
Cythere polytrema, G. S. Brady.
Xestoleberis setigera, n. sp.
Kriethe producta, n. sp.
Pseudocythere caudata, G. O. Sars.

STATION 146.—Lat. 46° 46' S., long. 45° 31' E. 1375 fathoms. Globigerina ooze.
 Bottom temperature, 1°·5 C. December 29, 1873.

Cythere dasyderma, n. sp.
acanthoderma, n. sp.
Kriethe producta, n. sp.
Cythere dictyon, n. sp.
viminea, n. sp.

STATION 149.—Balfour Bay, Kerguelen Island. 20 to 50 fathoms. January 1874.

Macrocypris maculata, G. S. Brady.
tumida, n. sp.
Argillæcia eburnea, n. sp.
Aglaia obtusata, n. sp.
Bairdia villosa, n. sp.
Cythere kerguelenensis, n. sp.
subrufa, n. sp.
wyville-thomsoni, n. sp.
audei, G. S. Brady.