Sebastes percoides, Rich., Twofold Bay; 120 fathoms (?). Port Jackson; 30 fathoms. Scorpæna cruenta, Sol., Twofold Bay; 120 fathoms (?).

Centropogon australis, White, Port Jackson.

Lepidotrigla phalana, C. V., Victoria; 38 fathoms. Bass Straits; 38 fathoms.

Percis allporti, Gthr. (Ann. and Mag. Nat. Hist., 1876, vol. xvii. p. 394), Bass Straits; 38 fathoms. Twofold Bay; 120 fathoms (?).

Gobius brevifilis, Day, Port Jackson.

Gobius albopunctatus, C. V., Port Jackson.

Callionymus calauropomus, Rich., Bass Straits; 38 fathoms.

Callionymus phasis, n. sp. (Pl. XV. fig. C).

D. 4/9, A. 7, C. 10. Præopercular spine considerably shorter than the eye, terminating in three curved spines, of which the two anterior are the larger, and directed upwards. Dorsal spines prolonged; second dorsal high; caudal long; the ventral fin extends somewhat beyond the origin of the anal. Gill-opening reduced to a small foramen on the upper side of the neck; lateral line single. The length of the head is one-third of the total length without caudal, or one-fourth with that fin. Eye very large, a little longer than the snout, one-third of the length of the head. Reddish-white with irregular broad blackish cross-bands on the back; first dorsal blackish, with some whitish zig-zag lines; second variegated with greyish; the other fins white. Length of specimen, 4 inches. Twofold Bay; 120 fathoms (?).

Callionymus lunatus, Schleg., Port Jackson; 6 to 8 fathoms. Blennius tasmanianus, Rich., Port Jackson.

Brachionichthys hirsutus, Lac.

D 1/2/16, A. 9. Off Twofold Bay; 120 fathoms (?).

Tripterygium, sp., Port Jackson.

Pseudophycis bacchus, Forst., Twofold Bay.

Gadus bacchus, Forst., Descr. Anim., p. 120.

Lota breviuscula, Rich., Voy. "Erebus" and "Terror," Fish., p. 61, pl. xxxviii. fig. 1.

Pseudophycis breviusculus, Gthr., Fish., vol. iv. p. 350.

## Lophonectes, n. gen.

Body oblong, head small, cleft of the mouth very narrow, with the jaws and dentition nearly equally developed on both sides; teeth small, in single series; palatine and vomerine teeth none. Dorsal fin commencing above the nostrils, with the anterior rays produced. Scales of moderate size, thin, and deciduous. Lateral line with a strong curve anteriorly. Eyes on the left side. Bass Straits. Off Port Jackson.