

# PLATE LXIII.

## NODOSARIA.

(b, Oral aspect.)

|            |   | Diam.   | Page |
|------------|---|---------|------|
| Figure 1.— | <i>Nodosaria roemeri</i> , Neugeboren, sp., . . .   | × 20    | 505  |
| „ 2.—      | <i>Nodosaria plebeia</i> , Reuss, . . .   | × 20    | 502  |
| „ 3–5.—    | <i>Nodosaria filiformis</i> , d'Orbigny, sp., . . .   | .       | 500  |
|            | Figs. 3. × 10 ; figs. 4, 5, . . .   | × 20    |      |
| „ 6.—      | <i>Nodosaria (Glandulina) armata</i> , Reuss, . . .   | × 50    | 494  |
| „ 7.—      | <i>Nodosaria retrorsa</i> , Reuss, sp., . . .   | × 50    | 507  |
| „ 8, 9.—   | <i>Nodosaria (?) abyssorum</i> , Brady, . . .   | × 20    | 504  |
| „ 10, 11.— | Young or arrested specimens of <i>Nodosaria hispida</i> ,<br>d'Orbigny, or <i>Nodosaria setosa</i> , Schwager.<br>( <i>Nodosaria papillosa</i> , Silvestri ?) . . . | × 75    | 508  |
| „ 12–16.—  | <i>Nodosaria hispida</i> , d'Orbigny, . . .   | .       | 507  |
|            | Fig. 12. × 45 ; figs. 13, 14, × 30 ; figs. 15, 16, . . .  | × 25    |      |
| „ 17.—     | <i>Nodosaria verruculosa</i> , Neugeboren, . . .  | × 50    | 509  |
| „ 18.—     | A portion of the shell more highly magnified, . . .   | × 100   |      |
| „ 19–21.—  | <i>Nodosaria hispida</i> , var. <i>sublineata</i> , nov., . . .   | × 35    | 508  |
| „ 22.—     | A portion of the shell more highly magnified, . . .   | × 100   |      |
| „ 23–26.—  | <i>Nodosaria costulata</i> , Reuss, . . .   | × 15    | 515  |
| „ 27.—     | A portion of the shell more highly magnified, . . .   | × 30    |      |
| „ 28–31.—  | <i>Nodosaria scalaris</i> , Batsch, sp., . . .  | × 45–50 | 510  |
| „ 32–33.—  | <i>Nodosaria catenulata</i> , n. sp., . . .   | × 40    | 515  |
| „ 34.—     | A portion of the shell more highly magnified, . . .   | × 100   |      |
| „ 35.—     | <i>Nodosaria vertebralis</i> , Batsch, sp., . . .   | × 40    | 514  |