

Buccinum crenulatum, Kiener, Iconographie, p. 62, No. 61, pl. xxiii. fig. 90.

Nassa crenulata, A. Adams, Proc. Zool. Soc. Lond., 1851, p. 103, sp. 5.

Buccinum crenulatum, Eydoux and Souleyet, "Bonite" Zool., vol. ii., 1852, p. 608, pl. xli. figs. 1-4.

Nassa crenulata, Reeve, Conch. Icon., vol. viii. pl. i. fig. 2.

„ (*Zeuxis*) *crenulata*, Brazier, "Chevert" Exped. Shells, Proc. Linn. Soc. New South Wales, 1877, vol. i. p. 180, No. 48.

Station 233. May 17, 1875. Lat. 34° 39' N., long. 135° 14' E. Off Kobé, Japan. 8 fathoms. Mud.

Station 233B. May 26, 1875. Lat. 34° 18' N., long. 133° 35' E. Off Japan. 15 fathoms. Blue mud.

Station 233c. May 28, 1875. Lat. 34° 18' N., long. 133° 21' E. Off Japan. 12 fathoms. Bottom temperature 59° 9' Fahr. Blue mud.

Habitat.—Indian Seas (Adams), Philippines (Reeve), North-Eastern Australia, 20 to 30 fathoms (Brazier).

17. *Nassa (Cæsia) limata* (Chemnitz).

Buccinum lima, seu *limatum*, Chemnitz, Conch. Cab., vol. xi. p. 87, pl. clxxxviii. figs. 1808, 1809.

„ *prismaticum*, Brocchi, Conch. fossile Subappenina, vol. ii. p. 337, pl. v. figs. 5, 7.

„ *lima*, Wood, Ind. Test., p. 118, pl. xxiii. fig. 116.

„ *prismaticum*, Philippi, Enumeratio, vol. i. pp. 219, 225, and vol. ii. pp. 188, 191, sp. 1.

„ *scalariforme*, Kiener, Iconog., p. 79, sp. 77, pl. xxi. fig. 80.

„ „ D'Orbigny, Moll. Canaries, p. 90, No. 136.

„ *limatum*, Lamarck, Anim. s. vert. (ed. Desh.), vol. x. p. 200, sp. 81 (sec. *Nasses*).

Nassa prismatica, Wood, Crag. Moll., Palæont. Soc., 1848, p. 32, pl. iii. fig. 6.

„ *scalariformis*, A. Adams, Proc. Zool. Soc. Lond., p. 109, No. 1.

Buccinum prismaticum, Petit de la Saussaye, Journ. de conch., vol. iv. 1853, p. 432.

Nassa scalariformis and *Nassa prismatica*, M'Andrew, Distrib. Moll. North Atlantic, pp. 26, 33, 40.

„ *prismatica*, Hörnæs, Foss. Moll. d. Wien. Bass., p. 146, pl. xii. figs. 13, 14.

Buccinum prismaticum, Küster, Conch. Cab. (ed. Küster), p. 15, pl. iv. figs. 8-10.

Nassa limata, Weinkauff, Conch. d. Mittelmeer, vol. ii. p. 56, sp. 2.

„ „ Monterosato, Enumeraz., p. 42.

„ *prismatica*, v. Martens, Meer. Conch. Capverd. Ins., Sitz.-Bericht Gesellsch. Naturforsch. Fr. Berlin, Feb. 16, 1875, p. 26.

„ *limata*, v. Martens, Conch. Westafr., Jahrb. d. deutsch. malak. Gesellsch., 1876, p. 239, No. 3.

„ „ Seguenza, Formaz. terz. Calabria, pp. 260, 318, 353.

„ *prismatica*, Seguenza, Formaz. terz. Calabria, pp. 50, 106, 318.

„ *prismatica*, Bellardi, Moll. terz. del Piemonte, pt. 3, p. 71, pl. v. fig. 1.

February 10, 1873. Gomera, Canaries. 75 fathoms.

Habitat.—Rare in the Mediterranean, plentiful at Madeira, Canaries, Mogador, and the Cape Verde Islands.

Fossil.—From the Miocene onwards (Seguenza).