

	GEOGRAPHICAL AREAS.							BATHYMETRICAL ZONES.			BOTTOM TEMPERATURE: FAHRENHEIT.	SYNONYMA AND REMARKS.
	North Atlantic.	South Atlantic.	Indian Ocean.	Southern Ocean.	Eastern Archipelago.	North Pacific.	South Pacific.	Littoral, 0-150 Fathoms.	Continental, 150-500 Fathoms.	Abyssal, greater than 500 Fathoms.		
	I.	II.	III.	IV.	V.	VI.	VII.	L.	O.	A.		
(1)	+	...	+	...	+	L	= <i>Ophidiaster marmorata</i> , Michelin.
(2)	+	L
(3)	+	...	+	+	+	L	{ = <i>Pentadactylosaster miliaris</i> , Linck; <i>Ophidiaster miliaris</i> , Müller and Troschel. Incl.: <i>Asterias laevigata</i> (pars), Linné; <i>Linckia typus</i> , Nardo; <i>Ophidiaster laevigata</i> , Müller and Troschel; <i>Linckia Brownii</i> , Gray; <i>Linckia crassa</i> , Gray; <i>Ophidiaster clathrata</i> , Grube; <i>Linckia laevigata</i> , Lütken.
(4)	+	...	+	+	+	L	{ = <i>Asterias multifora</i> , Lamarck; <i>Ophidiaster multiforis</i> , Müller and Troschel; <i>Linckia multiforis</i> , von Martens. Incl.: <i>Linckia typus</i> , Gray; <i>Linckia Leachi</i> , Gray.
(5)	+	+	L
(6)	+	+	= <i>Asterias laevigata</i> (pars), Lamarck.
(7)	+	?	+	{ = <i>Linckia pacifica</i> (pars), Gray; <i>Ophidiaster diplax</i> , Müller and Troschel; <i>Linckia diplax</i> , Perrier. Incl.: <i>Linckia nicobarica</i> , Lütken; (1) <i>Ophidiaster irregularis</i> , Perrier.
(8)	L	= <i>Linckia (Acalia) pulchella</i> , Gray.
(9)	+	L
(10)	+	+	L	{ = <i>Linckia (Phalaria) unifascialis</i> , Gray; <i>Ophidiaster (Linckia) unifascialis</i> , Lütken; <i>Linckia unifascialis</i> , Verrill. Incl.: <i>Ophidiaster suturalis</i> , Müller and Troschel; <i>Linckia suturalis</i> , von Martens.
(11)	+	+	L	{ = <i>Linckia (Phalaria) bifascialis</i> , Gray; <i>Linckia unifascialis</i> , var. <i>bifascialis</i> , Verrill; <i>Linckia unifascialis</i> (pars), Perrier.